Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L23	50	("4421980" "4492119" "4888877" "5456021" "4348885" "4879572" "5606509" "5668628" "5680253" "5760734" "5861989" "5861964" "5973837" "5978111" "6020984" "4027210" "4275960" "4325125" "4367589" "4387370" "4403339" "4424589" "4425041" "4455667" "4471449" "4471823" "4519167" "4524282" "4796097" "4847555" "4847814" "4968140" "4973164" "5198738" "5257624" "5317314" "5400132" "5424535" "5508944" "5577501" "5612906" "5623305" "5625270" "5691527" "5690846" "5726366" "5726749" "5767515" "5783817" "5810005").pn.	USPAT	OR	OFF	2005/09/12 09:32
L24	2832267	(scale rule ruler graduation measurement calibration gauge)	US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB		ON .	2005/09/12 09:34
L25	210663	((scan scanner scanning) near3 (device instrument apparatus appliance mechanism machine thing module element unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR ·	ON	2005/09/12 09:34
L26	616219	(relative near3 (motion movement (change near3 position)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2005/09/12 09:34
L27	103259	((evaluate evaluation evaluating judgement judging estimation estimating) near3 (module unit element part section))	' -		ON	2005/09/12 09:34
L28	73337	L24 and L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 09:34
L29	8212	L28 and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 09:34

L30	434	L29 and L27	US-PGPUB;	OR	ON	2005/09/12 09:34
			USPAT; USOCR;			
			EPO; JPO;			
		_	DERWENT ; IBM TDB		·	
L31	11221	((angle slope (angular near3 position)) near3	US-PGPUB;	OR	ON	2005/09/12 09:34
LJI	11221	(determin\$5 measur\$5) near3 (module unit	USPAT;			
		element part section))	USOCR; EPO; JPO;			
			DERWENT			
, ,,,	45224	((time chronologie chronological timing	; IBM_TDB US-PGPUB;	OR	ON	2005/09/12 09:36
L32	45234	((time chronologic chronological timing chronology) near3 (determin\$5 measur\$5)	USPAT;	OK	ON	2003/09/12 09.30
		near3 (module unit element part section))	USOCR; EPO; JPO;			
			DERWENT			
			; IBM_TDB	OD	OM	2005/00/12 00:24
L33	13	L30 and L31	US-PGPUB; USPAT;	OR	ON	2005/09/12 09:34
			USOCR; EPO; JPO;			
	i		DERWENT			
			; IBM_TDB			
L34	3	L33 and L32	US-PGPUB; USPAT;	OR	ON	2005/09/12 09:34
			USOCR;			
			EPO; JPO; DERWENT			
			; IBM_TDB			
L35	3	L34	US-PGPUB; USPAT;	OR	ON	2005/09/12 09:40
			USOCR;			
			EPO; JPO; DERWENT			
			; IBM_TDB			
L36	42	123 and (124 125 126 127 131 132)	USPAT	OR	ON	2005/09/12 09:37
L37	1	123 and 124 and 131 and 132	USPAT	OR	ON	2005/09/12 09:38
L38	37	123 and 124	USPAT	OR	ON	2005/09/12 09:38
L39	25	138 and 125	USPAT	OR	ON	2005/09/12 09:39
L40	2	139 and 131	USPAT	OR	ON	2005/09/12 09:59
L41	1	140 and 132	USPAT	OR	ON	2005/09/12 09:39
L42	0	L23 and ((anglular angle tilt slope) near3 (position location)) and ((scanning scanner)	USPAT	OR	ON	2005/09/12 09:45
		near3 (device apparatus instrument				.
		mechanism module part section unit element)) and (((chronological chronology				
		chronologic time timing) near3 (progression advancement progress)) with ((anglular	:			
		angle tilt slope) near3 (position location)))				

L43	0	((anglular angle tilt slope) near3 (position location)) and ((scanning scanner) near3 (device apparatus instrument mechanism module part section unit element)) and (((chronological chronology chronologic time timing) near3 (progression advancement progress)) with ((anglular angle tilt slope) near3 (position location)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 09:45
L44	1	((anglular angle tilt slope) near3 (position location)) and ((scanning scanner) near3 (device apparatus instrument mechanism module part section unit element)) and (((chronological chronology chronologic time timing) near3 (progression advancement progress)) same ((anglular angle tilt slope) near3 (position location)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 09:47
L45	263	((anglular angle tilt slope) near3 (position location)) and ((scanning scanner) near3 (device apparatus instrument mechanism module part section unit element)) and ((chronological chronology chronologic time timing) same ((change changing alter alteration altering move moving movement motion) with ((anglular angle tilt slope) near3 (position location))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 09:50
L46		((anglular angle tilt slope) near3 (position location)) and ((scanning scanner) near3 (device apparatus instrument mechanism module part section unit element)) and ((chronological chronology chronologic time timing) with (change changing alter alteration altering move moving movement motion) with ((anglular angle tilt slope) near3 (position location)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 09:50
L47	106	((detect\$3 determin\$5 measur\$5) with ((relative related) near3 (angular angle) near3 position) with ((scanning scanner near3 (device apparatus mechanism instrument unit element))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:45
L48	1	147 and (determin\$5 with ((chronologic chronological time) near3 (progression advancement (rate near3 change))) near3 ((angular angle) near3 position) with ((scanning scanner near3 (device apparatus mechanism instrument unit element))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:37
L49		l47 and (determin\$5 with ((chronologic chronological time) near3 (progression advancement (rate near3 change))) near3 ((angular angle) near3 position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:36

L50	1	l47 and (determin\$5 with ((chronologic chronological time) near3 (progression advancement (rate near3 change))) near3 ((angular angle) near3 (position displacement)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:37
L51	1	(determin\$5 with ((chronologic chronological time) near3 (progression advancement (rate near3 change))) near3 ((angular angle) near3 (position displacement)) with ((scanning scanner near3 (device apparatus mechanism instrument unit element))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:38
L52	2	(determin\$5 with (((chronologic chronological time) near3 (progression advancement (rate near3 change))) (rate near3 change)) near3 ((angular angle) near3 (position displacement)) with ((scanning scanner near3 (device apparatus mechanism instrument unit element))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR .	ON	2005/09/12 10:47
L53	2	147 and 152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:39
L54	2773	(((detect\$3 determin\$5 measur\$5) with ((angular angle) near3 (position displacement))) same ((scanning scanner near3 (device apparatus mechanism instrument unit element))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:50
L56	4	l54 and (determin\$5 with (((chronologic chronological time) near3 (progression advancement (rate near3 change))) (rate near3 change)) near3 ((angular angle) near3 (position displacement)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:49
L57	65	(determin\$5 with (((chronologic chronological time) near3 (progression advancement (rate near3 change))) (rate near3 change)) near3 ((angular angle) near3 (position displacement)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:49
L58	9	((detect\$3 determin\$5 measur\$5) with ((angular angle) near3 (position displacement))) and ((scanning scanner near3 (device apparatus mechanism instrument unit element))) and (determin\$5 with (((chronologic chronological time) near3 (progression advancement (rate near3 change))) (rate near3 change)) near3 ((angular angle) near3 (position displacement)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 10:58

L59	3	158 and ((position displacement) near3 (measur\$5 determin\$5) near3 (system device apparatus unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/12 11:01
L60	1	("4631404" "6043482" "5294793" "5115573").pn. and ((angular angle) near3 (position displacement))	USPAT	OR	ON	2005/09/12 11:04
L61	2	("4631404" "6043482" "5294793" "5115573").pn. and (((relative related) near3 (position displacement)) with ((scanner scanning) near3 (device apparatus unit)))	USPAT	OR	ON	2005/09/12 11:06
L62	0	l61 and (((chronologic chronological time) near3 (progression advancement (rate near3 change))) (rate near3 change))	USPAT	OR	ON	2005/09/12 11:07
L63	0	<pre>l61 and (((angle angular) near3 (progression advancement (rate near3 change))) (rate near3 change))</pre>	USPAT	OR	ON	2005/09/12 11:07



# Welcome United States Patent and Trademark Office

☐ Advanced Search

Indexed by

#Inspec

BROWSE

SEARCH

IEEE XPLORE GUIDE

OPTION 1 Enter keywords or phrases, sel	ect fields, and select operator	rs ② Help	<ul><li>» Publications</li><li>© Select publications</li></ul>		
	in All Fields				
AND	in All Fields				
	. All Fields	· <del></del>	▼ IEEE Conference		
AND	in All Fields		▼ 'IEE Conference F		
Carrier Contract States					
» Note: If you use all three search	boxes, the entries in the first to	vo boxes	» Other Resources (Availa		
takes precedence over the entry in		•	✓ IEEE Books		
OPTION 2		(?) Help	» Select date range		
Enter keywords, phrases, or a E	loolean expression	() The sp	C Search latest content to		
<pre>(angular <phrase> (pedisplacement)) <and></and></phrase></pre>		√r <sup>™</sup> }•	From year 1951		
scanner)	(scanning \OI>		to 2000		
			» Display Format		
		\$\$ <sup>6</sup>			
			to ollation to ollatio		
» Note: You may use the search of		·	» Organize results		
without the start and end bracke » Learn more about <u>Field Codes</u> ,		Operators	Maximum 100		
» Learn more about <u>Freid Codes,</u>	ocarcii Examples, and ocaron	<del>Operators</del>	Display 25 res		
			Sort by Relevance		
	•		In Descending		
	•		Help Contact Us		



IEE Conference

Proceeding

IEEE STD IEEE Standard

Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

Sea	rch	١R	es	u	lts

**IEE CNF** 

**BROWSE SEARCH** IEEE XPLORE GUIDE Results for "((((angular <phrase> (position <or> displacement)) <and> (scanning <or> scan..." ⊠e-πail Your search matched 13 of 1235066 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options **Modify Search** View Session History ((((angular < phrase> (position < or> displacement)) < and> (scanning < or> scanner))< New Search Check to search only within this results set Display Format: » Key IEEE Journal or **IEEE JNL** Magazine **Article Information** IEE Journal or Magazine IFE JNL 1. Landsat Thematic Mapper band-to-band registration IEEE Conference **IEEE CNF** Barker, J.L.; Seiferth, J.C.; Proceeding

Geoscience and Remote Sensing Symposium, 1996. IGARSS '96. 'Remote Se

Sustainable Future.', International

Volume 3, 27-31 May 1996 Page(s):1600 - 1602 vol.3

AbstractPlus | Full Text: PDF(240 KB) | IEEE CNF

2. Track while scan monopulse-a technique for improving angular accuracy Bergkvist, B.; Tullsson, B.-E.;

Radar Conference, 1990., Record of the IEEE 1990 International

7-10 May 1990 Page(s):428 - 433

Digital Object Identifier 10.1109/RADAR.1990.201203

AbstractPlus | Full Text: PDF(352 KB) IEEE CNF

3. A beam scanning frequency modulated continuous wave radar

Kin-Lung Chan; Judah, S.R.;

Instrumentation and Measurement, IEEE Transactions on Volume 47, Issue 5, Oct. 1998 Page(s):1223 - 1227

Digital Object Identifier 10.1109/19.746587

AbstractPlus | References | Full Text: PDF(120 KB) | IEEE JNL

4. Laser-ultrasonics three-dimensional imaging of advanced composite mat Aussel, J.-D.; Choquet, M.; Canas, R.; Bouchard, P.; Padioleau, C.; Heon, R.; Ultrasonics Symposium, 1994. Proceedings., 1994 IEEE Volume 2, 1-4 Nov. 1994 Page(s):1307 - 1310 vol.2 Digital Object Identifier 10.1109/ULTSYM.1994.401823

AbstractPlus | Full Text: PDF(324 KB) | IEEE CNF

5. Model-based calibration of a range camera

Beraldin, J.-A.; Rioux, M.; Blais, F.; Godin, G.; Baribeau, R.; Pattern Recognition, 1992 . Vol.1. Conference A: Computer Vision and Applica

Proceedings., 11th IAPR International Conference on

30 Aug.-3 Sept. 1992 Page(s):163 - 167

Digital Object Identifier 10.1109/ICPR.1992.201532

AbstractPlus | Full Text: PDF(448 KB) IEEE CNF

Systematic errors caused by the scanning of antenna arrays: Phase shift

lines

Г

Kurtz, L.; Elliott, R.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]

Volume 4, Issue 4, Oct 1956 Page(s):619 - 627

AbstractPlus | Full Text: PDF(736 KB) | IEEE JNL

7. Synchro-scanned rotating tunable optical disk filter for wavelength discri Г Katagiri, Y.; Tachikawa, Y.; Aida, K.; Nagaoka, S.; Ohira, F.;

Photonics Technology Letters, IEEE

Volume 10, Issue 3, March 1998 Page(s):400 - 402

Digital Object Identifier 10.1109/68.661423

AbstractPlus | References | Full Text: PDF(76 KB) | IEEE JNL

8. Effects of patient motion in coincidence studies on hybrid PET/SPECT sy Ivanovic, M.; Pellot-Barakat, C.; Weber, D.A.; Loncaric, S.; Shelton, D.K.;

Nuclear Science Symposium Conference Record, 2000 IEEE

Volume 3, 15-20 Oct. 2000 Page(s):16/49 - 16/53 vol.3 Digital Object Identifier 10.1109/NSSMIC.2000.949178

AbstractPlus | Full Text: PDF(360 KB) | IEEE CNF

9. A high resolution ultrasonic imaging system for the detection of cervical Γ

van der Heiden, M.; Faber, G.; Ongkiehong, L.; Berkhout, A.J.;

Ultrasonics Symposium, 1996. Proceedings., 1996 IEEE Volume 2, 3-6 Nov. 1996 Page(s):1341 - 1344 vol.2

Digital Object Identifier 10.1109/ULTSYM.1996.584294

AbstractPlus | Full Text: PDF(528 KB) | IEEE CNF

10. On-orbit calibration of inductosyn error

Wu, Y.A.;

American Control Conference, 1994

Volume 3, 29 June-1 July 1994 Page(s):2887 - 2891 vol.3

Digital Object Identifier 10.1109/ACC.1994.735096

AbstractPlus | Full Text: PDF(436 KB) | IEEE CNF

11. Experimental determination of CT point spread function anisotropy and & Dore, S.; Goussard, Y.;

Engineering in Medicine and Biology society, 1997. Proceedings of the 19th Ai

International Conference of the IEEE

Volume 2, 30 Oct.-2 Nov. 1997 Page(s):788 - 791 vol.2

Digital Object Identifier 10.1109/IEMBS.1997.757757

AbstractPlus | Full Text: PDF(328 KB) IEEE CNF

12. Autonomous robot learning: what can we take for free?

Gaussier, P.; Joulain, C.; Revel, A.; Zrehen, S.; Banquet, J.P.; Moga, S.; Quoy Industrial Electronics, 1997. ISIE '97., Proceedings of the IEEE International S Volume 1, 7-11 July 1997 Page(s):SS1 - SS6 vol.1

Digital Object Identifier 10.1109/ISIE.1997.651726

AbstractPlus | Full Text: PDF(892 KB) | IEEE CNF

13. Optimizing rod window width in positron emission tomography

Jones, W.F.; Digby, W.M.; Luk, W.K.; Casey, M.E.; Byars, L.G.; Nuclear Science Symposium and Medical Imaging Conference, 1992., Confere

the 1992 IEEE

25-31 Oct. 1992 Page(s):982 - 984 vol.2 Digital Object Identifier 10.1109/NSSMIC.1992.301085

AbstractPlus | Full Text: PDF(296 KB) IEEE CNF

Г

Indexed by Inspec

Help Contact Us Privacy & © Copyright 2005 IEEE -



IEEE XPLORE GUIDE

# Welcome United States Patent and Trademark Office

SEARCH

BROWSE

OPTION 1 Enter keywords or phrases, select	<u></u>		<ul> <li>Publications</li> <li>Select publications</li> </ul>
	in All Fields		▼ IEEE Periodicals
AND ·	in All Fields	<b>'≟</b>	<ul><li>✓ IEE Periodicals</li><li>✓ IEEE Conference I</li></ul>
AND	in All Fields	— 劉	IV IEE Conference Pr
AND	III All Licida	<b></b>	✓ IEEE Standards
Fig. 5			i i i i i i i i i i i i i i i i i i i
» Note: If you use all three search bo	exes, the entries in the first to	wo boxes	» Other Resources (Availab
takes precedence over the entry in the			▼ IEEE Books
OPTION 2 Enter keywords, phrases, or a Boo	oloan ovorossion	(?) Help	» Select date range
			C Search latest content up
(angular <phrase> (pos</phrase>	ition <or></or>		
displacement))			to 2000
		13/4	» Display Format
19 56 SEC 18-15			© Citation C Citatio
» Note: You may use the search ope	erators <and> or <or></or></and>	•	» Organize results
without the start and end brackets	<>.	Operators	Maximum 100
» Learn more about <u>Field Codes</u> , <u>Se</u>	earch ⊏xampies, and <u>Search</u>	Operators	Display 25 resu
			Sort by Relevance
			*

Indexed by

Help Contact Us



## Welcome United States Patent and Trademark Office

□ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

Results for "((((angular <phrase> (position <or> displacement)))<in>metadata)) <and> (pyr..." Your search matched 299 of 1235066 documents.

⊠ e-πаіІ

View: 1-25 | 26-5

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options  View Session History		Modify Search . ((((angular <phrase> (position <or> displacement)))<in>metadata)) <and> (pyr &gt;= 19) &gt;&gt;&gt;</and></in></or></phrase>					
» Key		Disp	olay Format:				
IEEE JNL	IEEE Journal or Magazine	Select	Article Information View: 1-25	<u> 26-</u>			
IEE JNL	IEE Journal or Magazine						
IEEE CNF	IEEE Conference Proceeding	Γ	<ol> <li>The scattering cross section of a composite cylinder, geometric optic Kodis, R.;</li> <li>Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]</li> </ol>	S			
IEE CNF IEE Conference			Volume 11, Issue 1, Jan 1963 Page(s):86 - 93				
IEEE STD	Proceeding IEEE Standard		AbstractPlus   Full Text: PDF(608 KB) IEEE JNL				
		Г	2. A circular active reflector antenna (CARA), energy distribution calcul	atio			

2. A circular active reflector antenna (CARA), energy distribution calculation experimental test

Knight, L.; Barry, G.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]

Volume 23, Issue 2, Mar 1975 Page(s):228 - 236

AbstractPlus | Full Text: PDF(920 KB) | IEEE JNL

3. The double-helix antenna and its variants, a new class of tunable endfire Γ Ehrenspeck, H.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988] Volume 13, Issue 2, Mar 1965 Page(s):203 - 208

AbstractPlus | Full Text: PDF(584 KB) | IEEE JNL

4. Physical limitations on interference reduction by antenna pattern shaping Mayhan, J.; Ricardi, L.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988] Volume 23, Issue 5, Sep 1975 Page(s):639 - 646

AbstractPlus | Full Text: PDF(760 KB) IEEE JNL

5. Size determination of a perfectly conducting sphere from the extrema of I intensities

Patitsas, A.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]

Volume 21, Issue 2, Mar 1973 Page(s):243 - 245

AbstractPlus | Full Text: PDF(368 KB) | IEEE JNL

6. Integral equation formulation for probe corrected far-field reconstruction measurements on a cylinder

Borgiotti, G.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988] Volume 26, Issue 4, Jul 1978 Page(s):572 - 578

AbstractPlus | Full Text: PDF(608 KB) | IEEE JNL

7. Transmission characteristics of inclined wire gratings

Snow, O.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988] Volume 4, Issue 4, Oct 1956 Page(s):650 - 654

AbstractPlus | Full Text: PDF(520 KB) IEEE JNL

8. Systematic errors caused by the scanning of antenna arrays: Phase shift lines

Kurtz, L.; Elliott, R.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]

Volume 4, Issue 4, Oct 1956 Page(s):619 - 627

AbstractPlus | Full Text: PDF(736 KB) | IEEE JNL

9. A dipole antenna coupled electromagnetically to a two-wire transmission

Seshadri, S.; lizuka, K.;

Antennas and Propagation, IEEE Transactions on [legacy, pre - 1988]

Volume 7, Issue 4, Oct 1959 Page(s):386 - 392

AbstractPlus | Full Text: PDF(784 KB) | IEEE JNL

10. Analysis of a nonlinear control system for stabilizing a missile

Atran, L.;

Automatic Control, IRE Transactions on

Volume 3, Issue 1, Nov 1957 Page(s):8 - 12

AbstractPlus | Full Text: PDF(592 KB) | IEEE JNL

11. Optical fiber tapers at 1.3 µm for self-aligned beam expansion and single

Presby, H.; Amitay, N.; DiMarcello, F.; Nelson, K.;

Lightwave Technology, Journal of

Volume 5, Issue 8, Aug 1987 Page(s):1123 - 1128

AbstractPlus | Full Text: PDF(1344 KB) | IEEE JNL

12. Optical fiber tapers--A novel approach to self-aligned beam expansion ar hardware

Amitay, N.; Presby, H.; DiMarcello, F.; Nelson, K.;

Lightwave Technology, Journal of

Volume 5, Issue 1, Jan 1987 Page(s):70 - 76

AbstractPlus | Full Text: PDF(2080 KB) IEEE JNL

13. Superconducting electromagnetic actuators for astronomical Fabry-Pero

Nishimura, T.; Low, F.; Shivanandan, K.;

Magnetics, IEEE Transactions on

Volume 21, Issue 2, Mar 1985 Page(s):451 - 454

AbstractPlus | Full Text: PDF(456 KB) | IEEE JNL

14. Angle detection based on the resistance anisotropy of permalloy

Eijkel, K.; Fluitman, J.;

Magnetics, IEEE Transactions on

Volume 22, Issue 5, Sep 1986 Page(s):955 - 957

AbstractPlus | Full Text: PDF(456 KB) | IEEE JNL

15. Highly accurate rotation-angle sensors using amorphous star-shaped co

Mohri, K.; Yoshino, K.; Okuda, H.; Malmhall, R.;

Magnetics, IEEE Transactions on

Volume 22, Issue 5, Sep 1986 Page(s):409 - 411

AbstractPlus | Full Text: PDF(512 KB) | IEEE JNL

16. The detection and resolution of optical signals Helstrom, C.: Information Theory, IEEE Transactions on Volume 10, Issue 4, Oct 1964 Page(s):275 - 287 AbstractPlus | Full Text: PDF(2112 KB) IEEE JNL 17. Maximum-likelihood estimation of the angular position and extent of a ta-Milstein, L.; Information Theory, IEEE Transactions on Volume 27, Issue 2, Mar 1981 Page(s):187 - 199 AbstractPlus | Full Text: PDF(1320 KB) IEEE JNL 18. The selection of variable gear for minimum energy Tal, J.; Kahne, S.; Automatic Control, IEEE Transactions on Volume 17, Issue 3, Jun 1972 Page(s):353 - 358 AbstractPlus | Full Text: PDF(672 KB) | IEEE JNL 19. Control system synthesis for a launch vehicle with severe mode interacti Swaim, R.; Automatic Control, IEEE Transactions on Volume 14, Issue 5, Oct 1969 Page(s):517 - 523 AbstractPlus | Full Text: PDF(936 KB) | IEEE JNL 20. Three-phase induction motor impulse drive method Goto, T.; Tamuro, Y.; Automatic Control, IEEE Transactions on Volume 24, Issue 6, Dec 1979 Page(s):834 - 842 AbstractPlus | Full Text: PDF(776 KB) | IEEE JNL 21. Variable structure postition control Γ Bengiamin, N.; Kauffmann, B.; Control Systems Magazine, IEEE Volume 4, Issue 3, Aug 1984 Page(s):3 - 8 AbstractPlus | Full Text: PDF(400 KB) | IEEE JNL 22. A Short Rugged Ferrite Half-Wave Plate for a Single-Sideband Modulator (Correspondence) Glass, H.I.; Microwave Theory and Techniques, IEEE Transactions on Volume 7, Issue 2, Apr 1959 Page(s):295 - 295 AbstractPlus | Full Text: PDF(144 KB) | IEEE JNL 23. Optical scattering at lateral waveguide boundaries in (stripe geometry) in Kerps, D.; Quantum Electronics, IEEE Journal of Volume 18, Issue 7, Jul 1982 Page(s):1113 - 1118 AbstractPlus | Full Text: PDF(568 KB) IEEE JNL 24. Radiation fields of GaAs-(AlGa)As injection lasers Butler, J.; Zoroofchi, J.; Quantum Electronics, IEEE Journal of Volume 10, Issue 10, Oct 1974 Page(s):809 - 815 AbstractPlus | Full Text: PDF(744 KB) | IEEE JNL

25. Magnetic analysis of a switched reluctance motor using a boundary elem element coupling method

Fauchez, M.B.;

Magnetics, IEEE Transactions on

Volume 24, Issue 1, Jan. 1988 Page(s):475 - 478

Digital Object Identifier 10.1109/20.43960

AbstractPlus | Full Text: PDF(284 KB) IEEE JNL

Γ

View: 1-25 | 26-5

Help Contact Us Privacy &:

© Copyright 2005 IEEE -

Indexed by Inspec



# Welcome United States Patent and Trademark Office

☐ Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

OPTION 1	rators (?) Help	» Publications
Enter keywords or phrases, select fields, and select ope	erators &	<ul><li>Select publications</li></ul>
in All Fields		
AND . in All Fields	3	▼ IEE Periodicals
AND in All Fields		
AND in All Fields		
A THE STREET STREET		
» Note: If you use all three search boxes, the entries in the fi	irst two boxes	» Other Resources (Availab
takes precedence over the entry in the third box.		▼ IEEE Books
OPTION 2 Enter keywords, phrases, or a Boolean expression	? Help	» Select date range
	· ·	C Search latest content up
<pre>((detect <or> detecting <or> detecting <or> determine <or> determining <or></or></or></or></or></or></pre>	on 🕬	From year 1951
determination) <pre>cphrase&gt; angular <phraces (position="" <or=""> displacement))</phraces></pre>	ase>	to : 2000
	· 🔉	» Display Format
· Distriction		
» Note: You may use the search operators <and> or <or></or></and>		» Organize results
without the start and end brackets <>.		Maximum 100
» Learn more about Field Codes, Search Examples, and Se	earch Operators	Display 25 resu
•		• •
		Sort by Relevance
		In Descending
		Help Contact Us

#Inspec\*

Indexed by



#### Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

Results for "(((((detect <or> detecting <or> detection <or> determine <or> determining &l..." Your search matched 0 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

**New Search** 

(((((detect <or> detecting <or> detection <or> determine <or> determining <or> determining <or>

Check to search only within this results set

» Key

Display Format:

**IEEE JNL** 

IEEE Journal or

Magazine

**IEE JNL** 

IEE Journal or Magazine

**IEEE CNF** 

**IEE CNF** 

IEEE Conference

Proceeding

IEE Conference Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

IEEE STD IEEE Standard

Contact Us Privacy &

@ Copyright 2005 IEEE -

Indexed by # inspec



# Welcome United States Patent and Trademark Office

	= =		X	<b>P</b> IO	Or	<b>9</b> (B)		i	
1.		18 1	1.1	11.66			. •	٠.	
- □ Δ <i>α</i>	lvanr	ed 9	earci	n					

**BROWSE** 

SEARCH

IEEE XPLORE GUIDE

OPTION 1 Enter keywords or phrases, select fields, and select operators	? Help	<ul><li>» Publications</li><li>G Select publications</li></ul>
in All Fields	<b>*</b>	▼ IEEE Periodicals
AND in All Fields		
		▼ IEEE Conference
AND in All Fields		✓ IEE Conference P
14 14 St. of the Co.		
» Note: If you use all three search boxes, the entries in the first two	boxes	» Other Resources (Availal
takes precedence over the entry in the third box.		▼ IEEE Books
OPTION 2	(?) Help	» Select date range
Enter keywords, phrases, or a Boolean expression		C Search latest content of
(angular <phrase> (position <or></or></phrase>	చేశ	
<pre>displacement)) <and> ((scanning <or> scanner) <phrase> (device <or> unit <or> apparatus))</or></or></phrase></or></and></pre>		to 2000
	nir.	» Display Format
[] [] [] [[] [] [] [] [] [] [] [] [] []		© Citation C Citation
» Note: You may use the search operators <and> or <or></or></and>		» Organize results
without the start and end brackets <>. » Learn more about Field Codes, Search Examples, and Search Or	perators	Maximum 100
" Learn more about <u>ricia doddo</u> , <u>ocuron examples</u> , and <u>ocuron ex</u>		Display 25 res
		Sort by Relevance

Indexed by

Help Contact Us



### Welcome United States Patent and Trademark Office

□ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

Results for "((((angular <phrase> (position <or> displacement)) <and> ((scanning <or> sca..." Your search matched 0 documents.

⊠e-πail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

**Modify Search** 

New Search

((((angular < phrase> (position < or> displacement)) < and> ((scanning < or> scanner) <

Check to search only within this results set

» Key

IEEE JNL IEEE Journal or

Magazine

**IEE JNL** 

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Contact Us Privacy & Help

© Copyright 2005 IEEE -

Indexed by **#Inspec** 



# Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

Enter keywords or pinases, select fields, and select operators	Help	» Publications  • Select publications
in All Fields		✓ IEEE Periodicals
AND in All Fields		▼ IEE Periodicals
		▼ IEEE Conference I
AND in All Fields		▼ IEE Conference Pr
The state of the part	·	▼ IEEE Standards
» Note: If you use all three search boxes, the entries in the first two boxes		» Other Resources (Availab
takes precedence over the entry in the third box.		✓ IEEE Books
OPTION 2	) Help	» Select date range
Enter keywords, phrases, or a Boolean expression  (angular <phrase> (position <or> displacement)) <and> ((scanning <or> scanner) <phrase> (device <or> unit <or> apparatus)) and (rate <phrase> change)</phrase></or></or></phrase></or></and></or></phrase>	•	C Search latest content up
		From year 1951
		to 2000
		» Display Format
HARAGE AND BEAUTION		© Citation Citatio
» Note: You may use the search operators <and> or <or></or></and>		» Organize results
without the start and end brackets <>.  » Learn more about <u>Field Codes</u> , <u>Search Examples</u> , and <u>Search Operators</u>		Maximum 100
		Display 25 resu
		Sort by Relevance
		In Descending
		Help Contact Us
by		© Copyright 20

mdexed by minspec



## Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

SEARCH

IEEE XPLORE GUIDE

Results for "((((angular <phrase> (position <or> displacement)) <and> ((scanning <or> sca..." Your search matched 0 documents.

☑ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

**Modify Search** 

New Search

((((angular <phrase> (position <or> displacement)) <and> ((scanning <or> scanner) <

Check to search only within this results set

» Key

Display Format:

**IEEE JNL** 

IEEE Journal or

Magazine

**IEE JNL** 

IEE Journal or Magazine

**IEEE CNF** 

IEEE Conference

Proceeding

**IEE CNF** 

IEE Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Help Contact Us Privacy &

Indexed by #Inspec © Copyright 2005 IEEE -